Assessor John Smith Name of employee assessed:

Hz No.	Are the Loads	Details
L1	Heavy	General individual item less than 1Kg. Full boxes 50Kg
L2	Bulky or unwieldy	Widgets are small and handle
L3	Difficult to grasp/hold	Slippery when oi
L4	Unstable/unpredictable	NA
L5	Harmful – hot/sharp	NA

Hz No.	The individual: Does the job -	Details
I1	Require unusual strength or capability	No – see L1
12	Call for special training/equipment	Training on assembly gi work starts.
13	Pose a risk for pregnant workers	None. This worker is e currently in first trin
14	Pose a risk to those with a health problem or physical or learning difficulty	No

Probability (P)	5=very likely, 4=likely, 3=quite possible, 2=possible, 1=
Severity (S)	5=fatal, 4=severe, 3=moderate, 2=slight, 1=negligible
Risk (R)	0-8=low risk, no action required. 9-15=medium risk, en

© Simply-docs – HS.RA.MH.03 Manual Handling Risk Assessment Form (Examp

S

A

ssment l	Form	RA Ref No: M	IH01
	Assessment Date	Review Date	es / Initials
	22 nd February 2012	21/02/13	

Widget Assembler/Packer

Job/role

k H	Existing controls	Further controls / action	
	No need to lift full boxes. Boxes loaded at level for forklift to move	NA	
	Small items	NA	
	None	Operatives to be given gloves with grips on fingertips	
	NA	NA	
	NA	NA	

k H	Existing controls	Further controls / action
	NA	NA
	NA	Operatives to given gloves with grips on fingertips
	Operatives can be seated during task. Chair swivels as needed. See E1	Recommend regular checks as per MHSW Regs for pregnant workers
	NA	

use. 16-25=high risk, stop operation & implement control measures

Hz No.	Does the Task involve:-	Details
T1	Holding loads away from the body	Seated at bench, items h arms length
T2	Twisting	No – operative has sw
ТЗ	Stooping	No
T4	Reaching upwards	No
T5	Large vertical movement – i.e. squat to stretch	No
Т6	Carrying long distances	No
T7	Strenuous pushing or pulling	No
Т8	Unpredictable movement of the load – i.e. liquids	No
Т9	Repetitive handling	Yes
T1 0	Handling driven by a process i.e. conveyor belt	Yes but operative is part
T1 1	Insufficient time to rest	As above

Probability (P)	5=very likely, 4=likely, 3=quite possible, 2=possible, 1=
Severity (S)	5=fatal, 4=severe, 3=moderate, 2=slight, 1=negligible
Risk (R)	0-8=low risk, no action required. 9-15=medium risk, en

© Simply-docs - HS.RA.MH.03 Manual Handling Risk Assessment Form (Examp

	k H	Exis
		Small
		3
Λ		
A		
\mathbf{N}		
VI		
		Machine belt assemblers ti
		Machine belt assemblers ti

k H	Existing controls	Further controls / action
	Small items, lightweight	Recommend regular checks as per MHSW Regs for pregnant workers. As pregnancy continues, operative will be unable to reach bench easily. New working method may be needed
	Swivel chair	
	NA	
	Machine belt is set to speed to allow assemblers time to pack each widget	Recommend regular checks as per MHSW Regs for pregnant workers
	Machine belt is set to speed to allow assemblers time to pack each widget	Recommend regular checks as per MHSW Regs for pregnant workers

use. 16-25=high risk, stop operation & implement control measures

Hz No.	In the working Environment, are there:-	Details
E1	Constraints on posture – i.e. room to stand	No – operative has sw
E2	Variations in levels i.e. stairs or ramps	No - at work ber
E3	Hot/cold/humid conditions	Works area climate co
E4	Strong air movements - wind	No
E5	Poor lighting conditions	No. Bench has overhead

|--|--|

Probability (P)	5=very likely, 4=likely, 3=quite possible, 2=possible, 1=
Severity (S)	5=fatal, 4=severe, 3=moderate, 2=slight, 1=negligible
Risk (R)	0-8=low risk, no action required. 9-15=medium risk, en

© Simply-docs – HS.RA.MH.03 Manual Handling Risk Assessment Form (Examp

k H	Existing controls	Further controls / action
	Operative has swivel chair	Recommend regular checks as per MHSW Regs for pregnant workers. As pregnancy continues, operative will be unable to reach bench easily. New working method may be needed

use. 16-25=high risk, stop operation & implement control measures